



Holo plus

DALI TRIAC LED IP20 0-10V RA>80 RA>90




CODE	Watts	CCT	Beam	Lumen
2094U-072S	7W	WL 2700K	16°	436 lm
2094U-072M	7W	WL 2700K	26°	418 lm
2094U-073S	7W	WL 3000K	16°	449 lm
2094U-073M	7W	WL 3000K	26°	431 lm
2094U-074S	7W	NL 4000K	16°	494 lm
2094U-074M	7W	NL 4000K	26°	474 lm
2094U-092S	9W	WL 2700K	16°	530 lm
2094U-092M	9W	WL 2700K	26°	500 lm
2094U-093S	9W	WL 3000K	16°	546 lm
2094U-093M	9W	WL 3000K	26°	514 lm
2094U-094S	9W	NL 4000K	16°	600 lm
2094U-094M	9W	NL 4000K	26°	565 lm

TRIAC GX5.3 IP20




CODE	Watts
20943M	50W max

TRIAC GU10 IP20




CODE	Watts
20943G	50W max

DALI TRIAC LED IP20 0-10V RA>80 RA>90




CODE	Watts	CCT	Beam	Lumen
2094SU-072S	7W	WL 2700K	16°	405 lm
2094SU-072M	7W	WL 2700K	26°	395 lm
2094SU-073S	7W	WL 3000K	16°	418 lm
2094SU-073M	7W	WL 3000K	26°	407 lm
2094SU-074S	7W	NL 4000K	16°	460 lm
2094SU-074M	7W	NL 4000K	26°	447 lm
2094SU-092S	9W	WL 2700K	16°	485 lm
2094SU-092M	9W	WL 2700K	26°	466 lm
2094SU-093S	9W	WL 3000K	16°	500 lm
2094SU-093M	9W	WL 3000K	26°	481 lm
2094SU-094S	9W	NL 4000K	16°	550 lm
2094SU-094M	9W	NL 4000K	26°	529 lm

TRIAC GX5.3 IP20




CODE	Watts
20943SM	50W max

TRIAC GU10 IP20




CODE	Watts
20943SG	50W max

DALI TRIAC LED IP20 0-10V RA>80 RA>90




CODE	Watts	CCT	Beam	Lumen
2095U-072S	7W	WL 2700K	16°	352 lm
2095U-072M	7W	WL 2700K	26°	351 lm
2095U-073S	7W	WL 3000K	16°	363 lm
2095U-073M	7W	WL 3000K	26°	362 lm
2095U-074S	7W	NL 4000K	16°	399 lm
2095U-074M	7W	NL 4000K	26°	398 lm
2095U-092S	9W	WL 2700K	16°	424 lm
2095U-092M	9W	WL 2700K	26°	420 lm
2095U-093S	9W	WL 3000K	16°	437 lm
2095U-093M	9W	WL 3000K	26°	433 lm
2095U-094S	9W	NL 4000K	16°	480 lm
2095U-094M	9W	NL 4000K	26°	476 lm

TRIAC GX5.3 IP20




CODE	Watts
20953M	50W max

TRIAC GU10 IP20




CODE	Watts
20953G	50W max

DALI TRIAC LED IP20 0-10V RA>80 RA>90




CODE	Watts	CCT	Beam	Lumen
2095LU-072S	7W	WL 2700K	16°	583 lm
2095LU-072M	7W	WL 2700K	26°	531 lm
2095LU-073S	7W	WL 3000K	16°	601 lm
2095LU-073M	7W	WL 3000K	26°	548 lm
2095LU-074S	7W	NL 4000K	16°	661 lm
2095LU-074M	7W	NL 4000K	26°	603 lm
2095LU-092S	9W	WL 2700K	16°	684 lm
2095LU-092M	9W	WL 2700K	26°	643 lm
2095LU-093S	9W	WL 3000K	16°	705 lm
2095LU-093M	9W	WL 3000K	26°	663 lm
2095LU-094S	9W	NL 4000K	16°	775 lm
2095LU-094M	9W	NL 4000K	26°	729 lm

TRIAC GX5.3 IP20



CODE	Watts
20953LM	50W max

TRIAC GU10 IP20



CODE	Watts
20953LG	50W max