



WH BK

Smart combo mini

- Multiple combo designed in trim with frame and Trimless without frame.
- Large size with 31w LED light source, free direction with 30 degree tilt.
- By removing front ring designed to install accessories easily.
- Medium to wide flood optics are available.




18°



36°

Smart combo mini trim

DALI TRIAC LED IP20 0-10V RA>80 RA>90



CODE	Watts	CCT	Beam	Lumen
83401T-082S	8W	WL 2700K	18°	674 lm
83401T-082L	8W	WL 2700K	36°	659 lm
83401T-083S	8W	WL 3000K	18°	695 lm
83401T-083L	8W	WL 3000K	36°	680 lm
83401T-084S	8W	NL 4000K	18°	764 lm
83401T-084L	8W	NL 4000K	36°	748 lm
83401T-102S	10W	WL 2700K	18°	843 lm
83401T-102L	10W	WL 2700K	36°	824 lm
83401T-103S	10W	WL 3000K	18°	869 lm
83401T-103L	10W	WL 3000K	36°	850 lm
83401T-104S	10W	NL 4000K	18°	955 lm
83401T-104L	10W	NL 4000K	36°	935 lm

TRIAC Gx5.3 IP20

CODE	Watts
83401TB	50W max

TRIAC GU10 IP20

CODE	Watts
83401TC	50W max

DALI TRIAC LED IP20 0-10V RA>80 RA>90



CODE	Watts	CCT	Beam	Lumen
83402T-162S	8W * 2	WL 2700K	18°	1277 lm
83402T-162L	8W * 2	WL 2700K	36°	1307 lm
83402T-163S	8W * 2	WL 3000K	18°	1317 lm
83402T-163L	8W * 2	WL 3000K	36°	1348 lm
83402T-164S	8W * 2	NL 4000K	18°	1448 lm
83402T-164L	8W * 2	NL 4000K	36°	1482 lm
83402T-202S	10W * 2	WL 2700K	18°	1596 lm
83402T-202L	10W * 2	WL 2700K	36°	1634 lm
83402T-203S	10W * 2	WL 3000K	18°	1646 lm
83402T-203L	10W * 2	WL 3000K	36°	1685 lm
83402T-204S	10W * 2	NL 4000K	18°	1810 lm
83402T-204L	10W * 2	NL 4000K	36°	1853 lm


TRIAC Gx5.3 IP20

CODE	Watts
83402TB	50W max*2

TRIAC GU10 IP20

CODE	Watts
83402TC	50W max*2

DALI TRIAC LED IP20 0-10V RA>80 RA>90



CODE	Watts	CCT	Beam	Lumen
83403T-242S	8W * 3	WL 2700K	18°	2166 lm
83403T-242L	8W * 3	WL 2700K	36°	2085 lm
83403T-243S	8W * 3	WL 3000K	18°	2233 lm
83403T-243L	8W * 3	WL 3000K	36°	2150 lm
83403T-244S	8W * 3	NL 4000K	18°	2456 lm
83403T-244L	8W * 3	NL 4000K	36°	2365 lm
83403T-302S	10W * 3	WL 2700K	18°	2707 lm
83403T-302L	10W * 3	WL 2700K	36°	2607 lm
83403T-303S	10W * 3	WL 3000K	18°	2791 lm
83403T-303L	10W * 3	WL 3000K	36°	2688 lm
83403T-304S	10W * 3	NL 4000K	18°	3070 lm
83403T-304L	10W * 3	NL 4000K	36°	2956 lm

TRIAC Gx5.3 IP20


CODE	Watts
83403TB	500W max*3

TRIAC GU10 IP20

CODE	Watts
83403TC	500W max*3

Smart combo mini trimless

DALI TRIAC LED IP20 0-10V RA>80 RA>90



CODE	Watts	CCT	Beam	Lumen
83401S-082S	8W	WL 2700K	18°	674 lm
83401S-082L	8W	WL 2700K	36°	659 lm
83401S-083S	8W	WL 3000K	18°	695 lm
83401S-083L	8W	WL 3000K	36°	680 lm
83401S-084S	8W	NL 4000K	18°	764 lm
83401S-084L	8W	NL 4000K	36°	748 lm
83401S-102S	10W	WL 2700K	18°	843 lm
83401S-102L	10W	WL 2700K	36°	824 lm
83401S-103S	10W	WL 3000K	18°	869 lm
83401S-103L	10W	WL 3000K	36°	850 lm
83401S-104S	10W	NL 4000K	18°	955 lm
83401S-104L	10W	NL 4000K	36°	935 lm


TRIAC Gx5.3 IP20

CODE	Watts
83401SB	50W max

TRIAC GU10 IP20

CODE	Watts
83401SC	50W max

DALI TRIAC LED IP20 0-10V RA>80 RA>90



CODE	Watts	CCT	Beam	Lumen
83402S-162S	8W * 2	WL 2700K	18°	1277 lm
83402S-162L	8W * 2	WL 2700K	36°	1307 lm
83402S-163S	8W * 2	WL 3000K	18°	1317 lm
83402S-163L	8W * 2	WL 3000K	36°	1348 lm
83402S-164S	8W * 2	NL 4000K	18°	1448 lm
83402S-164L	8W * 2	NL 4000K	36°	1482 lm
83402S-202S	10W * 2	WL 2700K	18°	1596 lm
83402S-202L	10W * 2	WL 2700K	36°	1634 lm
83402S-203S	10W * 2	WL 3000K	18°	1646 lm
83402S-203L	10W * 2	WL 3000K	36°	1685 lm
83402S-204S	10W * 2	NL 4000K	18°	1810 lm
83402S-204L	10W * 2	NL 4000K	36°	1853 lm


TRIAC Gx5.3 IP20

CODE	Watts
83402TB	50W max*2

TRIAC GU10 IP20

CODE	Watts
83402TC	50W max*2

DALI TRIAC LED IP20 0-10V RA>80 RA>90



CODE	Watts	CCT	Beam	Lumen
83403T-242S	8W * 3	WL 2700K	18°	2166 lm
83403T-242L	8W * 3	WL 2700K	36°	2085 lm
83403T-243S	8W * 3	WL 3000K	18°	2233 lm
83403T-243L	8W * 3	WL 3000K	36°	2150 lm
83403T-244S	8W * 3	NL 4000K	18°	2456 lm
83403T-244L	8W * 3	NL 4000K	36°	2365 lm
83403T-302S	10W * 3	WL 2700K	18°	2707 lm
83403T-302L	10W * 3	WL 2700K	36°	2607 lm
83403T-303S	10W * 3	WL 3000K	18°	2791 lm
83403T-303L	10W * 3	WL 3000K	36°	2688 lm
83403T-304S	10W * 3	NL 4000K	18°	3070 lm
83403T-304L	10W * 3	NL 4000K	36°	2956 lm

TRIAC Gx5.3 IP20

CODE	Watts
83403SB	500W max*3

TRIAC GU10 IP20

CODE	Watts
83403SC	500W max*3